Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3=	"5799547"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 11:00
L2	307	(74/605).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/01 11:01
L3	26	2 and groove and (constant\$4 or continuous\$4 or always) with (oil or lubrica\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 11:04
L4	303486	(("123") or ("184") or ("384")). CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/01 11:04
L5	114	2 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 11:04
L6	10	5 and groove with (passage or bore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 11:05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
LI	50	(main near3 (bearing or journal)) same (crankpin or (crank adj pin)) same lubricat\$6 same ((tunnel or hole or passage or bore) with groove with bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 09:17
L2	1176	((crankshaft or main) near3 (bearing or journal)) same (crankpin or (crank adj pin)) same ((pair or two or (first with second) same (tunnel or hole or passage or bore) with groove)) same (shell or bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 09:22
L3	1135	2 not 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 09:21
L4	93	((crankshaft or main) near3 (bearing or journal)) same (crankpin or (crank adj pin)) same ((pair or two or (first with second)) same (tunnel or hole or passage or bore) with groove) same (shell or bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 09:23
L5	56	4 not 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 09:29
L6	199	(384/288).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/01 09:33
L 7	1047	(184/6.5).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/01:09:33
L8	2065	(123/196r).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/01 09:33

L9	2863	(7 or 8) not (1 or 4 or 6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 09:34
L10	557	9 and crankshaft same (bearing or journal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2004/06/01 09:35
L11	121	10 and (groove with (bearing or journal or shell))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/01 09:35